



बड़ौदा राजस्थान क्षेत्रीय ग्रामीण बैंक  
Baroda Rajasthan Kshetriya Gramin Bank

निविदा सूचना

विषय : हमारे बैंक की विभिन्न शाखाओं व कार्यालयों में लॉकर केबिनेट एवं डिफेन्डर गेट की आपूर्ति हेतु निविदा ।



S. No.	Particulars	Detail
1-	Issuing date for RFP	12-09-2019
2-	Last date and time for submission of Tender	04-10-2019 up to 5.00 PM.
3-	Date and Time of Pre Bid meeting	19-09-2019 at 3.00 PM.
4-	Date and Time of opening Technical Bid	05-10-2019 at 11.00 AM.
5-	Date and Time of opening financial Bid	05-10-2019 at 4.00 PM
6-	Place of meetings , submission & opening of Bids	Baroda Rajasthan Kshetriya Gramin Bank Head Office Plot 2343, IIInd Floor, Vaishali Nagar, Ajmer, 305004
7-	Address for communication	Baroda Rajasthan Kshetriya Gramin Bank Head Office Plot 2343, IIInd Floor, Vaishali Nagar, Ajmer, 305004



## बड़ौदा राजस्थान क्षेत्रीय ग्रामीण बैंक Baroda Rajasthan Kshetriya Gramin Bank

बड़ौदा राजस्थान क्षेत्रीय ग्रामीण बैंक, राजस्थान के 21 जिलों में 847 शाखाओं के साथ अग्रणी ग्रामीण बैंक है। बैंक प्रतिष्ठित, अनुभवी, सक्षम एवं सुरक्षा उपकरणों के निर्माताओं से हमारी बैंक की विभिन्न शाखाओं में निम्नानुसार लॉकर केबिनेट्स एवं डिफेन्डर गेट की आपूर्ति हेतु मुहरबंद लिफाफे में निविदाएं आमंत्रित करता है।

### A. Scope of Work :

1. **Locker Cabinates:-** As per requirement of Branches / Offices from time to time.
2. **Defender Gate:-** As per requirement of Branches / Offices from time to time.
3. **Supply:-** As per requirement of 847 Branches and 13 Offices of the bank situated in 21 districts of Rajasthan.
4. **Period:-** Successful bidders, in both technical and financial bid, will supply the above for the period up to 31-03-2022 as per supply order of bank.

### B. Eligibility Criteria :-

1. Sales of manufacturers regarding above products for each year Should not less than Rs 10. Crore in the last three years.
2. The firm should have been earning net profit in each year of last three years .
3. Firm should submit solvency certificate worth Rs 100.00 lac issued by a scheduled commercial bank.
4. The manufacturer should have been empaneled or having a rate contract with
  - A) At least three schedule commercial Banks and
  - B) At least One private sector bank or Financial Institution for supply of security equipments i.e SSDL,SDL Lockers,and Defender Gates.
  - C) Such empanelment or rate contract should be of at least three years' continuous term during last five years.
  - D) Proof of supply of above equipments along with letter of satisfaction issued by concerned Bank/Instiution should be submitted.



## बड़ौदा राजस्थान क्षेत्रीय ग्रामीण बैंक Baroda Rajasthan Kshetriya Gramin Bank

- E) Year wise detail of supply of above equipments in Banks/FI/Govt. Departments during last 5 years should be furnished
5. Firm should have Registered office/After sale service center/stockiest/sales office in Rajasthan.
  6. Necessary documents/proof (License/Permission letter/Registration) regarding above(1 to 6) are to be submitted inevitably.
  7. The manufacturer must be the original equipment manufacturer (OEM) with their inhouse lock manufacturing facility. Manufacturing license issued by competent authority be submitted as proof thereof.
  8. The manufacture should have minimum 7years experience in the field of manufacturing, supplying and maintaining the security equipment mentioned in Annexure 1,2,and 3 as on 01-04-2019.
  9. The manufacturer should be a registered company/firm with authentic PAN, GST, ESI and EPF distinguished registration numbers allotted by competent authorities.
  10. The company/vendor shall have ISO-9000/9001 and ISO 14001 series certifications for manufacturing process. The product/equipment should be quality products and should have bureau of Indian standards(BIS) certification and should also meet the minimum fire rating criteria specified by BIS.
  11. The company/vendor shall not have been blacklisted by any PSU/Private Bank/FI nor should their name be figured in IBA caution list. Company has to submit a affidavit in this regard.
  12. The Bidder should have been in the business of Manufacturing , supply & installation of bank branches/Currency chest vault room security equipment like TRTL safes, TRTL strong room doors, safe deposit locker cabinets etc. for at least 7 years. Putting such logo/label in case of specified equipment is a must and no other self-declaration/certification etc. will substitute this provision.



## बड़ौदा राजस्थान क्षेत्रीय ग्रामीण बैंक Baroda Rajasthan Kshetriya Gramin Bank

13. No tender will be received after the expiry of the time notified for receiving tenders under any circumstances whatsoever. Only Hard copy of tender in Sealed envelope will be acceptable.
14. The tender will be opened at the above address in the presence of authorized representatives of contracting agencies on the date and time.
15. The bank reserves right to reject any or all tender received without assigning any reason thereof.
16. The earnest money deposited will be refunded to the unsuccessful tenderers. Earnest money paid by the successful contractor will be retained by the bank till completion of the contract period.
17. Earnest money paid by contractor shall be forfeited by the bank if job contractor fails to undertake the work after he is communicated about acceptance of his rates.
18. Applicants must agree to random testing of their products supplied to the bank at their own cost at the "Test House" approved by BIS. During testing, if the quality of these equipment is found unsatisfactory, bank will blacklist those manufacturers and may inform IBA accordingly. All costs of testing including transportation and other expenses shall be borne by the manufacturer. An undertaking to this effect should be submitted along with application. (Frequency of testing shall be 1 in 50 pieces after supply).
19. The manufacturers should submit copies of their balance sheet along with auditor's report and notes to account for the past 3 years, duly audited by chartered accountants for the perusal of bank.
20. The pre qualification of applicants for security Equipment manufacturer will be done by carrying out evaluation under various



## बड़ौदा राजस्थान क्षेत्रीय ग्रामीण बैंक Baroda Rajasthan Kshetriya Gramin Bank

parameters/criteria fixed as above by committee constituted for the purpose. Bank's decision in the matter will be final.

21. The Bank reserves the right to select/reject/any/all applicants/Tenders without assigning any reason thereof.
22. The applicant should not have any objection to bank inspecting their manufacturing/R&D/other infrastructure or any office to verify documentary/other claims as per application process. Bank may also hold inquiries from past/existing clients of the applicant.
23. Technical detail must be completely filled up. Corrections or alterations, if any should be authenticated. Every page of the submitted tender must have company seal & signed by the authorized person.
24. At any point of time if it is observed that the vendor is supplying to other financial institutions/firms similar material/services at lower rates than offered to Baroda Rajasthan Kshetriya Gramin Bank, then the vendor shall have to compensate the Baroda Rajasthan Kshetriya Gramin Bank by paying the difference amount and downward revise the rate of respective item/services immediately as applicable.
25. BRKGB reserves the right to accept/reject any or all application and to annul the empanelment process and accept/reject all applications at any time prior to registration or any time after registration, without thereby incurring any liability to the affected applicants or any obligation to inform the affected applicant of the grounds for BRKGB's action.
26. BRKGB can at any time issue clarifications, addendums or corrigendum. The same will be published in the BRKGB's website. The applicants are requested to regularly visit the bank's website.
27. **Availability of spares :-**  
Spares for the product offered should be available for at least 10 years.



## बड़ौदा राजस्थान क्षेत्रीय ग्रामीण बैंक Baroda Rajasthan Kshetriya Gramin Bank

### 28. Warranty:-

Supplier shall be fully responsible for the manufacturer's warranty in respect of proper design, quality and workmanship of all equipmen, accessories, etc., covered by the offer. The supplier must warrant all equipment, accessories, spare parts etc., against any manufacturing defects during the warranty period.

### 29. Guidelines for the OEM(Original Equipment Manufacturer): –

- a) OEM should be ISO certified
- b) Documents of Manufacturing license/Excise Registration of the OEM factory need to be submitted for verification
- c) Product Certification copies to be attached as per the specifications.
- d) To evaluate the offered solution/products, POC(Proof of concept) will be conducted by technical committee. POC date(s) will be intimated separately after evaluation of Technical bids of prospective bidders.
- e) Vendor will be responsible for non-genuine products. Audit for banks whether actual material is provided or not needs to be done by OEM, as and when required by bank, without any additional cost, as a service support to Bank.
- f) OEM to have presence in india since last 7 years.

30. The subject tender is for submission of Bid for prequalification cum technical and financial bid.The committee formed by the bank Willevaluate the offer submitted which may include visit to the manufacturing facility.The committee will look into the various parameters and thereafter decide L-1 and L-2 Bidders.Work will be distributed between them in the ratio of 60:40,Subject to condition that L-2 is agree to perform the work at rates and terms of L-1.Further if if other bidder also agree to work /supply at the rates and terms of L-1 the bank reserves right to allot 40percent work amongst



## बड़ौदा राजस्थान क्षेत्रीय ग्रामीण बैंक Baroda Rajasthan Kshetriya Gramin Bank

them i.e. L-1 will be allotted 60 percent and 40percent of work will be allotted to the others equally.The Vendors, so selected for giving orders up to 31-03-2022 ,will be valid for three years.Thus it is likely that there will be more than one agency getting selected for supplying the item in which they have quoted for L-1.

31. The Bidder should have valid BIS Licences for all the product/Equipment(Licence is being issued by BIS)which they intent to supply.



# बड़ौदा राजस्थान क्षेत्रीय ग्रामीण बैंक Baroda Rajasthan Kshetriya Gramin Bank

## Annexure -1

### Specification for strong room doors (B/A/AA)

Strong room door Specification (Basic Requirement) :

- The door must confirm to IS 11188:2014
- UTS of the steel used in safe to be minimum 270 MPa
- All locks shall be of dual control type having minimum 8 levers
- Keys for the lock shall be of stainless steel or any other nonferrous material
- Each key lock shall be fitted with Automatic relocking device
- Coating thickness to be minimum 50 Microns for powder coating and minimum 70 Microns for liquid paints
- Thickness of door slab over the rebate shall be minimum 29mm/65mm/90mm/150mm for class B, A, AA & AAA respectively
- Thickness of door over the lock to be minimum 50mm/75mm/100mm/160mm for class B, A, AA & AAA respectively
- Diameter of each shooting bolt to be minimum 38mm/ 50mm/ 50mm/ 65mm for class B, A, AA & AAA respectively
- Depth of engagement of bolts to be minimum 15 mm for B, A & AA & 20mm for AAA





# बड़ौदा राजस्थान क्षेत्रीय ग्रामीण बैंक Baroda Rajasthan Kshetriya Gramin Bank

## Annexure-2

### **Specifications for safe deposit locker cabinet (SDLC)**

- The locker should conform to IS 5244:2014 under all parameters as mentioned by BIS
- Product to have ISI/BIS marked label. Any product not having ISI/BIS marked label shall not be accepted. The terminology like “as per ISI or BIS” will not be accepted
- UTS of the steel used in SDL to be minimum 270MPa
- The thickness of the doors of lockers shall be minimum 10 mm
- Lock shall be of dual control type
- Keys for the lock shall be of stainless steel or any other non-ferrous material
- Coating thickness to be minimum 50 Microns for powder coating and minimum 70 Microns for liquid paints.

### **Additional Features**

- 1- The primary Lock (lessee's lock) shall be 7 lever technology OR of the locker having multi row pin cylinder technology (optional)
- 2- The custodian lock shall be 7 lever technology
- 3- Locker having light which work on motion based technology during operations
- 4- prices for both type of key systems i.e. 7 lever key technology and multi row pin cylinders technology should be quoted separately.



# बड़ौदा राजस्थान क्षेत्रीय ग्रामीण बैंक Baroda Rajasthan Kshetriya Gramin Bank

## Annexure-3

### Specification for safe with safe deposit lockers

- UTS of the steel used in safe to be minimum 270MPa
- Engagement of lock bolt with locking bars to be minimum 5mm
- All locks to have minimum 8 levers made of brass
- Keys for the lock shall be of stainless steel or any other non – ferrous material
- Each key lock shall be fitted with Automatic relocking device
- Coating thickness to be minimum 50 Microns for powder coating and minimum 70 Microns for liquid paints
- Total thickness of steel plate across the safe wall shall be minimum 7 mm subject to a minimum nominal thickness of 2 mm
- Thickness of door slab over the rebate shall be minimum 14 mm for sizes upto 850 & minimum 18 mm for sizes above 850
- Thickness of door over the bolt work to be minimum 25 mm
- Size of each shooting bolt (Area of bolt section) to be minimum 800 sq mm
- Depth of engagement of bolts to be minimum 15 mm
- prices for both type of key systems i.e. 7 lever key technology and multi row pin cylinders technology should be quoted separately



## बड़ौदा राजस्थान क्षेत्रीय ग्रामीण बैंक Baroda Rajasthan Kshetriya Gramin Bank

### Additional features :

1. The safe should have electronic system capable of integration with Alarm Control Panel
  - a. Duress alarm – Under duress opening, the safe should open with a time delay
  - b. Capability to wirelessly communicate (May be through intermediate Panel) with existing Alarm system of branch
  - c. The safe shall have sensors to detect forced attempts to open the safe and should communicate with the control panel to raise Alarm or alerts through ATD(Advance threat detection)
2. Capability to communicate to at least 8 Pre-designated telephone no through ATD. (Advance threat detection).
3. The primary lock (lessee's lock) shall be 7 lever technology or locker shall be of Multi row pin cylinder technology
4. The custodian lock will be 7 lever technology
5. Each locker should have light which work on motion based technology during operations.
6. prices for both type of key systems i.e. 7 lever key technology and multi row pin cylinders technology should be quoted separately



## बड़ौदा राजस्थान क्षेत्रीय ग्रामीण बैंक Baroda Rajasthan Kshetriya Gramin Bank

### C. निविदा की अन्य शर्तें :-

1. निविदाकर्ता अपनी निविदा सीलबन्द लिफाफे में प्रेषित करें जिस पर बैंक की विभिन्न शाखाओं हेतु लॉकर केबिनेट्स एवं डिफेन्डर गेट की आपूर्ति हेतु निविदा अंकित हो ।
2. तकनीकी निविदा एनेक्जर-4, आवेदन पत्र Annexure .5 के साथ मुहरबंद लिफाफे में प्रेषित की जावे ।
3. अंतिम दिनांक तथा निर्धारित समय के पश्चात प्राप्त एवं अधूरी व शर्तों सहित निविदा स्वीकार नहीं की जायेगी ।
4. निर्धारित दिनांक तथा निर्धारित समय तक प्राप्त निविदाओं की अहर्ता व तकनीकी रूप से योग्यता की जाँच की जावेगी । बैंक द्वारा अन्य विभिन्न मापदण्डों के आधार पर तकनीकी रूप से योग्य पायी गयी निविदाओं की फर्मों की ही वित्तीय निविदा खोली जायेगी । उक्त कार्य हेतु एक से अधिक फर्म को भी सूचीबद्ध किया जा सकता है ।
5. आपूर्ति की जाने वाली मदों की पैकिंग इस प्रकार की होगी कि वह सुरक्षित व बगैर नुकसान के गंतव्य स्थान तक पहुंच जाए ।
6. विभिन्न मदों के आपूर्ति आदेश बैंक की आवश्यकतानुसार दिये जावेंगे ।
7. क्रयादेश के पश्चात आपूर्ति किया गया माल स्वीकृत नमूने के अनुसार साइज / क्वालिटी का नहीं हाने की दशा में माल बिना भुगतान के वापस कर दिया जाएगा ।
8. सभी विवादों का न्याय क्षेत्र अजमेर होगा ।
9. बैंक को किसी भी निविदा को स्वीकार करने / निरस्त व करार अवधि के मध्य समाप्त करने का अधिकार होगा इस हेतु कारण बताना आवश्यक नहीं होगा ।
10. क्रयादेश के अनुसार माल की आपूर्ति क्रयादेश की दिनांक से 40 दिन में करवानी होगी । आपूर्ति में विलम्ब हेतु प्रति 7 दिवस की देरी पर क्रय आदेश राशि की 1 प्रतिशत पेनल्टी लगाने हेतु बैंक को अधिकार होगा जो कि क्रयादेश राशि के 10 प्रतिशत तक लगायी जा सकती है ।
11. क्रयादेश / सामान सप्लाई व बिल प्रस्तुतिकरण व पत्राचार आदि में डाक या अन्य कारणों से देरी हेतु बैंक उत्तरदायी नहीं होगा । मद की आपूर्ति नियत स्थान व समय पर करने की जिम्मेदारी आपूर्तिकर्ता की होगी ।
12. कार्य समय पर पूर्ण नहीं करने, गुणवत्ता में कमी रहने अथवा दिये गये मापदण्डों के अनुरूप आकार / प्रकार नहीं होने पर बैंक आईटम्स की आपूर्ति अस्वीकार कर सकता है । इस संबंध में बैंक का निर्णय अंतिम एवं मान्य होगा ।
13. शाखाओं की सूची बैंक की वेबसाइट [www.brkgb.com](http://www.brkgb.com) पर उपलब्ध है ।
14. निविदा फीस हेतु रू 2000/- का डी.डी., जो कि बड़ौदा राजस्थान क्षेत्रीय ग्रामीण बैंक के पक्ष में जारी किया गया हो एवं अजमेर पर देय हो, तकनीकी निविदा के साथ संलग्न करें ।
15. निविदा के प्रत्येक पेज पर कंपनी / फर्म की सील एवं प्राधिकृत अधिकारी के हस्ताक्षर होने चाहिए ।
16. सफल निविदादाता को सूचीबद्ध करने हेतु हमारी बैंक की किसी भी शाखा से 3 वर्ष के लिए जारी रू 3,00,000/- की सावधि जमा हमारे बैंक के साथ संयुक्त नाम से बनवाकर करार के



## बड़ौदा राजस्थान क्षेत्रीय ग्रामीण बैंक Baroda Rajasthan Kshetriya Gramin Bank

- साथ जमा करवानी होगी। इस हेतु अर्नेस्ट मनी के रूप में दी गई राशि समायोजित की जा सकेगी।
17. मद की आपूर्ति क्रयादेश के अनुसार एफओआर डिलीवरी, सुरक्षित व संबंधित कार्यालय/शाखा द्वारा बताए स्थान पर करनी होगी। लॉकर व डिफेन्डर गेट को नियमानुसार स्थापित/चालु करवाकर चाबियों की आपूर्ति शीघ्र व सुरक्षित तरीके से की जावेगी।
  18. मदों की आपूर्ति पश्चात लॉकर/ डिफेन्डर गेट में संचालन/ चाबी संबंधी किसी प्रकार की परेशानी या कभी भी अन्य मरम्मत आदि से संबंधित सहायता की आवश्यकता होने पर कंपनी द्वारा शीघ्र सहायता/आवश्यकतानुसार सेवा उपलब्ध करवायी जावेगी।
  19. सूचीबद्ध करते समय बैंक की अन्य सभी शर्तों सहित करार सम्पादित किया जावेगा।
  20. अर्नेस्ट मनी के रूप में निविदा के साथ बैंक के पक्ष में अजमेर पर देय रू 3.00 लाख मूल्य का डी.डी. संलग्न करें।

**महाप्रबन्धक**



# बड़ौदा राजस्थान क्षेत्रीय ग्रामीण बैंक Baroda Rajasthan Kshetriya Gramin Bank

तकनीकी निविदा

(एनेकजर-4)

क्र. सं.	विवरण	हां/ नहीं
1	निविदादाता स्वयं निर्माता/उत्पादक है। फर्म/कम्पनी के प्रकार एवं मालिक/पार्टनर का नाम, पता व पूर्ण विवरण (प्रमाण संलग्न करें)	
2	पिछले तीन वित्तीय वर्षों का शुद्ध लाभ (अंकेक्षित बैलेंस शीट की प्रति संलग्न करें)	
3	पिछले तीन वित्तीय वर्षों में प्रति वर्ष 10 करोड या अधिक की बिक्री (अंकेक्षित बैलेंस शीट, मय ऑडिटर्स नोट, की प्रति संलग्न करें)	
4	वर्तमान में न्यूनतम 5 सरकारी क्षेत्र के बैंक जहां आपूर्ति की जा रही के नाम एवं कार्यादेश/संतुष्टि पत्र (प्रति संलग्न करें)	
5	वर्तमान में न्यूनतम 1 निजी क्षेत्र के बैंक/वित्तीय संस्थान जहां आपूर्ति की जा रही के नाम एवं कार्यादेश/संतुष्टि पत्र (प्रति संलग्न करें)	
6	किसी अनुसूचित बैंक द्वारा जारी (रु1 करोड के लिए) <b>Solvency</b> सर्टिफिकेट (प्रति संलग्न करें)	
7	स्वयं की ताला बनाने की इन हाउस कम्प्युटराईज्ड यूनिट होनी चाहिए। (प्रमाण संलग्न करें)	
8	सुरक्षात्मक उपकरणों के निर्माण/उत्पादन का न्यूनतम 7 वर्ष का अनुभव (प्रमाण संलग्न करें)	
9	निविदादाता का रजिस्टर्ड/सेवा कार्यालय/स्टॉकिस्ट /बिक्री पश्चात् सेवा केन्द्र एवं राजस्थान में अधिकृत कार्यालय का पता स्थान व पूर्ण पता(कितने है, कहां है, दूरभाष सहित पूर्ण सूचना दें)	
10	निविदादाता के राजस्थान में अन्य आपूर्ति/सेवा केन्द्रों के नाम व पते।	
11	पैन नम्बर, टिन नम्बर, जीएसटी नम्बर (प्रति संलग्न करें)	
12	निर्माण/उत्पादन का अनुमति पत्र व बीआईएस लाइसेंस प्रमाण पत्र व फर्म/कम्पनी व मालिक /पार्टनर के केवाईसी दस्तावेज (प्रति संलग्न करें)	
13	तकनीकी निविदा के साथ निविदा फीस रु 2000/- का डीडी संलग्न करें	

Head Office : प्लॉट न 2343,द्वितीय तल,आनासागर रोड, वैशाली नगर अजमेर, - 305 004

फॉन /Phone : 0145-2642621, 2642580, 2641893फैक्स / Fax:0145-2642603

ई-मेल / [ho@barodarajasthanrb.co.in](mailto:ho@barodarajasthanrb.co.in)



## बड़ौदा राजस्थान क्षेत्रीय ग्रामीण बैंक Baroda Rajasthan Kshetriya Gramin Bank

14	निविदा शर्तों, कार्य अपेक्षाओं व न्यूनतम अहर्ताओं के अनुसार क्या निविदा हेतु अपेक्षित योग्यता है।	
15	आपकी कंपनी के उत्पाद में <b>लॉकर केबिनेट (SSDL)</b> हेतु बीआईएस मानकों के अनुसार निर्धारित स्पेसिफिकेशन का पूर्ण विवरण देंगे यथा लम्बाई, चौड़ाई, उंचाई, गहराई, सुरक्षा मानक आदि। (ब्रोशर संलग्न करें)	
16	आपकी कंपनी के उत्पाद में <b>लॉकर केबिनेट (SDL)</b> हेतु बीआईएस मानकों के अनुसार निर्धारित स्पेसिफिकेशन का पूर्ण विवरण देंगे यथा लम्बाई, चौड़ाई, उंचाई, गहराई, सुरक्षा मानक आदि। (ब्रोशर संलग्न करें)	
17	आपकी कंपनी के उत्पाद में अन्य कम्पनी के उत्पादों से उपयोगिता एवं सुरक्षा मानकों की दृष्टि से भिन्न विशिष्टताओं का मदवार पूर्ण विवरण	
18	आपकी कंपनी के उत्पाद में <b>डिफेन्डर गेट</b> हेतु बीआईएस मानकों के अनुसार निर्धारित स्पेसिफिकेशन का पूर्ण विवरण देंगे यथा लम्बाई, चौड़ाई, उंचाई, गहराई, सुरक्षा मानक आदि। (ब्रोशर संलग्न करें)	
19	अनेस्ट मनी के लिए बैंक के पक्ष में अजमेर पर देय रु 3.00 लाख का डी.डी. संलग्न है या नहीं	
20	निर्माता के पास ISO 9000/9001 एवं 14001 सीरीज का निर्माण के मानक पूर्ण करने का सर्टिफिकेट एवं BIS का सर्टिफिकेट संलग्न करें	
21	निर्माता को उक्त उत्पादों के सम्बंध में कभी ब्लैक लिस्ट ना किया गया हो तथा ना ही आईबीए के द्वारा जारी की गई ब्लैक लिस्ट फर्म की सूची में दृष्टिगोचर हो, इस बाबत शपथ पत्र प्रेषित करें।	



बड़ौदा राजस्थान क्षेत्रीय ग्रामीण बैंक  
Baroda Rajasthan Kshetriya Gramin Bank

**Application Form**

(Annexure – 5)

The General Manager  
Baroda Rajasthan Kshetriya Gramin Bank  
Plot 2343, IInd Floor,  
Vaishali Nagar, Ajmer

Sir,

Re: Our bid for Empanelment of Vendors for supply of Locker Cabinet and Defender Gate to various Branches of your Bank in Rajasthan as per Bank's requirement.

We submit our Bid Document with undertaking herewith.

We understand that:-

- If our Bid for the above job is accepted, we undertake to enter into and execute at our cost, when called upon by the purchaser to do so, a contract in the prescribed form. Unless and until a formal contract is prepared and executed, this bid together with your written acceptance thereof shall constitute a binding contract between us.
- If our bid is accepted, we are to be jointly and severally responsible for the due performance of the contract.
- You may accept or entrust the entire work to one vendor or divide the work to more than one vendor without assigning any reason or giving any explanation whatsoever.
- We hereby undertake and agree to supply & install **Locker cabinet and Defender Gate** as per Bank's requirement and abide by all the terms and conditions including all annexure, corrigendum(s) etc. stipulated by the Bank in this RFP.

**Yours faithfully**

Signature of authorized Signatory

Name of Signatory:

Designation:

Seal of Company

Telephone No.

Mobile No.

Place :

Date :

Head Office : प्लॉट न 2343, द्वितीय तल, आनासागर रोड, वैशाली नगर अजमेर, - 305 004

फोन /Phone : 0145-2642621, 2642580, 2641893 फेक्स / Fax: 0145-2642603

ई-मेल / [ho@barodarajasthanrb.co.in](mailto:ho@barodarajasthanrb.co.in)